

GENERAL INDEX TO VOLUME XIII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics*; and previously published scientific names and all other matter, in ordinary type.

A

Acer Negundo, description of pollen of, 367; *platanoides*, description of pollen of, 367
 "Acid Nigrosine" stain, 362
 Acids, effect of, on the inclusions found in the petunia leaves infected with mosaic disease, 457
Agrostis alba, description of pollen of, 368
Alantus glandulosa, description of pollen of, 368
 Alcohol, effect of, on inclusions found in the petunia leaves infected with mosaic, 455
Aleurodiscus, 304; *cerussatus*, 304; *disiformis*, 305; *helvulus*, 306; *macrodens*, 307; *roseus*, 225; *suberuentatus*, 308; *succineus*, 309; *Zelleri*, 309
 Algae, relation of, to atmospheric nitrogen, 104, to light and carbon, 110
 Algal flora of the Missouri Botanical Garden, further studies on the, 101
Algaegum, 35; *acuminatum*, 56; *auriferum*, 53; *chilense*, 40; *confertum*, 59; *cordifolium*, 62; *Grisebachii*, 48; *laminifolium*, 46; *lancifolium*, 48; *muticum*, 63; *parviflorum*, 55; *radulum*, 63; *Salviae*, 44; *salviaefolium*, 51; *speciosum*, 45; *subhastatum*, 43; *tenuiflorum*, 49; *tomentosum*, 38
Algue Laguen, 35
Amaranthus retroflexus, description of pollen of, 368
Ambrosia artemisiæfolia, description of pollen of, 368; *trifida*, description of pollen of, 368
Anthoxanthum odoratum, description of pollen of, 368
Aquilegia caerulea, leaves of healthy, 484; leaves of, infected with mosaic, 484; mosaic disease of, 464
Artemisia absinthium, description of pollen of, 369
Aster novae Angliae, description of pollen of, 369
Asterostroma, 173; *investiens*, 283
Auricularia phoephorea, 301
Auriculariaceae, 330

B

Bacillarieae, 118
Bacillus prodigiosus, effect of ultra-violet rays on, 449
Betula populifolia, description of pollen of, 369
Blaria, 6; *mexicana*, 20
Bouchea, a revision of the genus, 71; geographical distribution of the genus, 92
Bouchea aegrestis, 84; *copiapensis*, 18; *dissecta*, 84; *Ehrenbergii*, 78; *incisa*, 86; *increassata*, 86; *laetevirens*, 85; *linifolia*, 87; *Nelsonii*, 83, 96; *prismatica*, 78, 94, var. *brevirostra*, 80, 94, var. *laciniata*, 80, var. *longirostra*, 81, 94; *pseudochascanum*, 85; *pseudogervao*, 85, 98; *pterygocarpa*, 78; *spathulata*, 87
Bougainvillea glabra, study of variegation in, 468; normal green leaves of, 484; var. *variegata*, leaves of, 484

C

Caldesiella viridis, 323
 Carbon, relation of algae to, 110
 Carter, Nellie, George T. Moore and. Further studies on the subterranean algal flora of the Missouri Botanical Garden, 101
Carya alba, description of pollen of, 369
Castelia cuneato-ovata, 16
Chascanum, 76; *cernuum*, 98, 100
Chenopodium album, description of pollen of, 369; *ambrosioides*, 369
Chlorophyceae, 119
Chlorosis, 426
Chrysanthemum leucanthemum, description of pollen of, 370
Clavaria tenax, 339
Coleus Blumei, var. "Mrs. Kirkpatrick," study of variegations in, 470; leaves of, 488
Columbine, mosaic disease of, 464
Coniophora corrugis, 223, 310; *flavomarginata*, 311; *Sistotreoides*, 312; *suffocata*, 312

Corticium, 173; *abeuns*, 250; *adhae-*
sum, 279; *albido-carneum*, 277; *Aluta*,
187; *alutaceum*, 263; *alutarium*, 283;
analogum, 247; *anthracophilum*,
219; *apiculatum*, 238; *arachnoideum*,
184; *areolatum*, 238; *argentatum*,
256; *armeniacum*, 216; *Atkinsonii*,
208; *atrovirens*, 300; *Auberianum*,
198; *Bambusae*, 218; *Berkeleyi*, 183;
bicolor, 291; *bombycinum*, 190; *botry-*
osum, 295; *Bresadolae*, 179; *Brink-*
manni, 253; *caeruleum*, 301; *calceum*,
203; *canadense*, 290; *canum*, 206;
centrifugum, 206; *ceraceum*, 216;
cerasatum, 304; *chrysocreas*, 270;
colliculosum, 233; *comine*, 246; *con-*
fluens, 220; *confluens* var. *subcalceum*,
220; *cremoricolor*, 218; *croceum*, 178;
crocicreas, 270; *crustaceum*, 196; *crus-*
tulinum, 209; *cultum*, 231; *debile*,
273; *decipiens*, 206; *dendriticum*, 303;
diminuens, 187; *effusatum*, 248;
epigaeum, 252; *ermineum*, 182;
evolens, 280; *ferax*, 304; *furfuraceum*,
242; *fuscostratum*, 299; *galactinum*,
199; *gilvidum*, 215; *globosum*, 266;
grammicum, 187; *granulare*, 182;
granulatum, 236; *hepaticum*, 243;
hydianum, 233; *hypnophilum*, 223;
illaqueatum, 236; *incanum*, 205;
investiens, 283; *involucrum*, 271;
jamaicense, 273; *javanicum*, 227;
koleroga, 292; *lactescens*, 253; *lacteum*,
212; *laetum*, 223; *laeve*, 280; *leptal-*
eum, 279; *Litschaueri*, 259; *livido-*
caeruleum, 260; *lividum*, 243; *luridum*,
272; *Macounii*, 256; *mexicanum*,
251; *molle*, 216; *Murrillii*, 288; *ochra-*
ceum, 241; *ochrofaretum*, 275;
Overholtsii, 245; *paniculatum*, 303;
paraphysatum, 177; *pectinatum*,
286; *pelicula*, 212, 263; *pellucilare*,
196; *pisolatum*, 262; *plumbeum*, 261;
polygonum, 268; *polygonoides*, 224;
portentosum, 187; *portentosum* var.
crystallophorum, 187; *protrusum*,
260; *Pseudotsuga*, 246; *punctulat-*
um, 179; *racemosum*, 287; *radi-*
sum, 263; *ravum*, 251; *rigescens*, 199;
Rosae, 237; *roseatum*, 224; *roseo-pal-*
lens, 240; *roseum*, 224; *rubellum*,
232; *rubicundum*, 225; *rubrocanum*,
230; *rubropallens*, 229; *salmonatum*,
255; *salmonicolor*, 227; *scutellare*, 192;
septentrionale, 257; *sociatum*, 192;
Solani, 295; *spreatum*, 229; *Stevensii*,
293; *Stevensonii*, 211; *stramineum*,
258; *subalbum*, 267; *subceraceum*,
239; *subcineratum*, 277; *subcon-*
tinuum, 288; *subgiganteum*, 215; *sub-*
nullum, 209; *subochraceum*, 289;
suffocatum, 312; *sulphureum*, 177;
tessulatum, 210; *Tsugae*, 276; *tuber-*
culatum, 195; *vagum*, 295; *vagum* var.
Solani, 295; *vellereum*, 179; *venosum*,
274; *vescum*, 204; *vesiculosum*, 266;
vinaceum, 298; *vinosocabens*, 267;
Zimmermanni, 227

Corylus americana, description of pol-
len of, 370

Craterellus, 312; *subundulatus*, 312;
turbinatus, 313; *Zelleri*, 314

Cyanophyceae, 117

Cynodon Dactylon, description of pollen
of, 370

Cyphella, 315; *alboviolascens*, 315; *Cur-*
reyi, 315; *fasciculata*, 315; *galeata*,
316; *marginata*, 316; *muscicola*, 316;
patens, 317; *sessilis*, 317; *tela*, 318;
Thaxteri, 319

Cytological and physiological studies of
mosaic diseases and leaf variegations,
425

D

Dactylis glomerata, description of pollen
of, 370

Dahlia variabilis, description of pollen
of, 370

Datura Stramonium, drawings of living
cells, 478; mosaic disease of, 458

Denisaea, 76

Devarda method of nitrogen determina-
tion, 393

Dracoccephalum, 35; *chamoedryoides*, 40

E

Eichleriella, 334; *mexicana*, 334

Epling, C. C. Studies on South Ameri-
can Labiateae, II, 35

Erigeron canadensis, description of pol-
len of, 370

Erysiphe scandens, 292

Evonymus japonica, normal green leaves
of, 484; study of variegations in, 471;
var. *argenteo-variegata*, leaves of, 484;
drawings of living cells of, 480; var.
"medio-picta," leaves of, 484; draw-
ings of living cells of, 480

F

Festuca elatior, description of pollen of,
371

Ficus Parcellii, nearly entirely green
leaf of, 482; study of variegation in,
467; variegated leaf of, 482

Formalin, effect of, on the inclusions
found in petunia leaves infected with
mosaic disease, 456

Fraxinus americana, description of pol-
len of, 371

G

Gleditschia triacanthos, description of pollen of, 371
Gloeoecystidium, 173
Gloeoecystidium, 173; *alutaceum*, 263; *analogum*, 247; *lactescens*, 253; *lividocæruleum*, 261; *luridum*, 272; *polygonium*, 268, var. *fulvescens*, 269; *stramineum*, 258
Grandinia ocellata, 243
Grenzebach, Myrtle E. A revision of the genus *Bouchea* (exclusive of *Chascanum*), 71

H

"Hay-fever" plants, the identification of pollen from so-called, 355
Helianthus annuus, description of pollen grains of, 371
Heterochaete Sheari, 338
Homalomena cordata, study of variegations in, 406; leaf of, 482
Hydnnum epiphyllum, 320; *viride*, 324
Hyphoderma laetum, 223
Hypochnopsis ochroleuca, 294
Hypochnus, 173, 319; *albus*, 319; *centrifugus*, 206; *chalybaeus*, 300; *epiphyllus*, 320; *filamentosus*, 320; *fumosus*, 321; *granulosus*, 320; *ochroleucus*, 294; *pallidofulvus*, 321; *Rhacodium*, 322; *Solani*, 295; *subferrugineus*, 321; *subviolaceus*, 323; *umbrinus*, 323
Hypochnus, 173

I

Iva ciliata, description of pollen of, 371; *xanthifolia*, description of pollen of, 371

J

Jimson weed, mosaic disease of, 458

K

Kjeldahl-Gunning-Arnold method for nitrogen determination, 393
Kneiffia cerussata, 305
Kobuski, C. E. Revision of the genus *Priva*, 1

L

Labiatae, studies on South American, II, 35
LaGarde, Roland V. L., George T. Moore and. The identification of pollen from so-called "hay-fever" plants, 355

Leaf variegations, some cytological and physiological studies of mosaic diseases and, 425
Ligustrum vulgare, description of pollen of, 371
Liquidambar styraciflua, description of pollen of, 372
Lolium perenne, description of pollen of, 372
Lyomyces, 173; *caerulescens*, 300; *polygonoides*, 225

M

Medicago sativa, description of pollen of, 372
Melilotus alba, description of pollen of, 372
Merisma tenaz, 339
Michenera artocreas, 215
Missouri Botanical Garden, further studies on the subterranean algal flora of the, 101
Moore, George T. and Nellie Carter. Further studies on the subterranean algal flora of the Missouri Botanical Garden, 101; and Roland V. L. LaGarde. The identification of pollen from so-called "hay-fever" plants, 355
Morus alba, description of pollen of, 372
Mosaic diseases and leaf variegations, some cytological and physiological studies of, 425

N

Necator decrurus, 227
Nerium Oleander, leaves of variegated variety of, 482; normal green leaf of, 482; study of variegations in, 470
Nicotiana, pseudo-fertility in, 141
Nicotiana alata, 145, var. *grandiflora*, 145; *Forgetiana*, 145; *Tabacum*, mosaic disease of, 443
Nitrate-nitrogen, determination of, 391
Nitrogen: determination of total, nitrate-nitrogen, and total nitrogen not including nitrate-nitrogen: further observations on a modification of the official salicylic-thiosulphate method, 391; relation of algae to atmospheric, 104

O

Odontia viridis, 323

P

Panicum anceps, description of pollen of, 372

Pellicularia koleroga, 292
Peniophora, 324; *disciformis*, 305; *populinæ*, 324; *subpigantea*, 215
Petunia, drawings of living cells of, 477, 478; healthy leaves of, 484; leaves of, infected with mosaic, 480, 484; mosaic disease of, 451
Periza alboviolascens, 315; *Daedalea*, 318; *tela*, 318
Phaeocyphella muscicola, 317
Phellodermæ, 6
Phlebia lirida, 243; *spilomea*, 275
Phleum pratense, description of pollen of, 372
Phryne, 23
Phytolacca decandra, drawings of living cells of, 480; mosaic disease of, 461, 482
Phytozis, 35
Phytozys, 35
Pinus austriaca, description of pollen of, 373
Pitæa, 6
Pittosporum *Tobira*, normal green leaf of, 482; study of variegation in leaves of, 480; var. *variegatum*, leaves of, 482
Plantago lanceolata, description of pollen of, 373; major, description of pollen of, 373
Platanus occidentalis, description of pollen of, 373
Poa pratensis, description of pollen of, 373
Pokeweed, mosaic disease of, 461
Pollen from so called "hay-fever" plants, the identification of, 355
Pollens, relative time at which various, may be expected to be found in air, based on time of pollinating, 360
Pollinations in *Nicotiana*, 164
Polygonum persicaria, description of pollen of, 373
Populus balsamifera, description of pollen of, 374
Priva, 5; *abyssinica*, 9; *armata*, 16, 32, 34; *aspera*, 18, 32, 34; *bahiensis*, 10, 32, 34; *crenata*, 20; *cuneato-ovata*, 16, 32, 34; *Curtisiae*, 7, 28, 30; *dentata*, 9; *domingensis*, 8; *echinata*, 11; *Forskallii*, 9; *Forskaalii*, 9; *hispida*, 20; *laevis*, 16; *lamiifolia*, 11; *lappulacea*, 11, 32, 34; *leptostachya*, 9, 32, 34; *mexicana*, 20, 32, 34; *Meyeri*, 9; *orchiooides*, 16; *Orizabae*, 24; *portoricensis*, 8, 32, 34; *rhinanthifolia*, 17, 32, 34; *trachelioides*, 18; *tuberosa*, 24
Priva, revision of the genus, 1; geographical distribution of the genus, 26
Prototremella calicorpora, 328
Pseudo-fertility in *Nicotiana*, 141
Pterula tenax, 339
Pyrus Malus, description of pollen of, 374

Q

Quercus alba, description of pollen of, 374; *coccinea*, description of pollen of, 374; *rubra*, description of pollen of, 375

R

Radulum hydnans, 233; *investiens*, 233
Ranker, E. R. Determination of total nitrogen, nitrate-nitrogen, and total nitrogen not including nitrate-nitrogen: further observations on a modification of the official salicylic-thiosulphate method, 391
Reagents, the effect of different, on pollen, 359
Rhizoctonia centrifuga, 206; *Solani*, 295
Robinia pseudacacia, description of pollen of, 375
Rosmarinus chilensis, 41; *officinalis*, 41
Rudbeckia laciniata, description of pollen of, 375
Rumex acetosella, description of pollen of, 375

S

Salicylic-thiosulphate method of nitrogen determination, further observations on a modification of the official, 391
Sebacina, 334; *africana*, 338; *Burtii*, 337; *Cokeri*, 334; *fibrillosa*, 335; *lactescens*, 336; *murina*, 337; *plumbea*, 337; *plumbescens*, 337; *polyschista*, 338; *Sheari*, 338
Septobasidium, 330; *album*, 332; *cinnamomeum*, 332; *mexicanum*, 330; *pedicellatum*, 330; *pinicola*, 330; *polyschista*, 338; *spiniferum*, 333; *Spongia*, 331
Sideritis, 35; *salviaefolia*, 51
Smith, Fanny Fern. The cytological and physiological study of mosaic diseases and leaf variegations, 425; Pseudo-fertility in *Nicotiana*, 141
Solidago canadensis, description of pollen of, 375
Sphacelæ, synopsis of the genus, 35
Sphacelæ, 35; *acuminata*, 56; *aurifera*, 53; *bullata*, 60; *campanulata*, 40; *chamaedryoides*, 40; *chilensis*, 40; *clinopodioides*, 49; *cochabambana*, 53; *conferta*, 59; *confusa*, 53; *cordifolia*, 62; *floribunda*, 47; *Grisebachii*, 47; *hastata*, 48; *heteromorpha*, 58; *Hieronymi*, 47; *hirsuta*, 49, 68; *inflata*, 52; *intermedia*, 60, 70; *Kuntzeana*, 53; *lamiifolia*, 46; *lancifolia*, 48; *Lindleyi*, 44; *Lindleyi*, 44; *Mandoniana*, 57; *mollis*, 64; *mutica*, 63

pampeana, 48; *paniculata*, 60; *parviflora*, 53; *radula*, 63; *Salviae*, 44; *salviaefolia*, 51; *speciosa*, 45; *Sprucei*, 61; *subhastata*, 43; *tenuiflora*, 49; *tomentosa*, 38
Sporotrichum croceum, 178
Stachys Salviae, 44
Stachytarpheta bifurca, 78; *pseudochascanum*, 86
Stereum, 325; *aculeatum*, 325; *atrorubrum*, 325; *crustaceum*, 196; *disciforme*, 305; *induratum*, 327; *populneum*, 324; *portentosum*, 187; *radicans*, 326; *rubropallens*, 229; *subcruentatum*, 308; *Underwoodii*, 327
Streptium, 6
Subterranean algal flora of the Missouri Botanical Garden, further studies on the, 101

T

Tapesia tela, 318
Taraxacum officinale, description of pollen of, 375
Thelephora, 328; *aculeata*, 325; *albido-carna*, 277; *arachnooides*, 323; *atrovirens*, 300; *bombycina*, 190; *caerulea*, 301; *calcea* var. *argillacea*, 241, var. *glebulosa*, 203; *confusa*, 220; *disciformis*, 305; *evolvens*, 280; *galactina*, 199; *Indigo*, 301; *lactea*, 212; *lactescens*, 253; *laevis*, 280; *livida*, 243; *lutescens*, 328; *polygona*, 268; *radiosa*, 263; *rosea*, 224; *rubropallens*, 229; *Sistotrema*, 312; *subochracea*, 283; *subundulata*, 312; *sulphurea*, 177
Tobacco, mosaic disease of, 443, 482
Tortula, 6; *aspera*, 9

Tremellaceae, 334
Tremelloendron, 339; *Hibbardi*, 339; *simplex*, 339; *tenax*, 339
Trifolium pratense, description of pollen of, 375
Tulasnella, 328; *calospora*, 328; *rosella*, 328
Typha latifolia, description of pollen of, 376

U

Ulmus americana, description of pollen of, 376
Ultra-violet rays, effect of, on plants infected with mosaic, 444

V

Vararia, 173; *investiens*, 283
Variegations, cytological study of some leaf, 425, 466
Veluticeps, 329; *fusca*, 329
Verbena fluminensis, 85; *lappulacea*, 11; *mexicana*, 20; *prismatica*, 78; *pseudogervao*, 85; *rhinanthalifolia*, 17; *tuberosa*, 16

X

Xanthium spinosum, description of pollen of, 376
Xerocarpus, 173; *alutarius*, 283; *crustaceus*, 196

Z

Zapania mexicana, 20; *prismatica*, 78
Zea Mays, description of pollen of, 376
Zygodesmus pallidofulvus, 321